

WELDER TRACTORS SPW-D51PX

CE Approved



WELDER PACKAGE


- N°2 Miller XMT 304 400 Amp.
- N°1 Alternator 85 KVA-50 400Volts
- Alternator trasmission hydrostatic drive
- N°4+4 Socket plug 110 Volts
- N°1 Air compressor ATLAS-COPCO LT15-20UV B
- N°1 Air tank 200 lt-53 USG
- N°3 Bottles compartment
- N°1 Bottle compartment
- N°1 Hydraulic Crane Maxilift 040

MAIN FEATURES

Tractor base	Komatsu D51-PX
Engine	Komatsu 130 HP @ 2,200 RPM
Transmission	Hydrostatic 3 speed
Operating weight	15,000 kg / 33,480 lbs
Shipping weight	
Shipping dimensions	5.8 m (19 ft) L x 2.8 m (9.1 ft) W x 2.33 m (7.6 ft) H

DIMENSIONS

OPERATING WEIGHT 15,000 kg - 33,480 lb



A	6.1 m / 20'
B	1.58 m / 5.2'
C	2.74 m / 9'
D	1.77 m / 5.8'
E	3.17 m / 10.4'
F	1.1 m / 3.6'
G	550 mm / 1.8'
H	1.08 m / 3.54'
I	1.27 m / 4.16'
J	560 mm / 1.83'
K	815 mm / 2.67'
L	1.88 m / 6.16'
M	2.44 m / 8'
N	5.75 m / 18.86'
E	3.17 m / 10.4'

CONTACT INFORMATION & DISCLAIMER

Main office – General inquiries SUPERIOR Manufacturing

16031 East Freeway
Channelview, TX 77530
U.S.A.
Phone 281.457.4400
Fax 281.452.5455
U.S. Toll Free 800.383.2666
Intl. Toll Free 800.9675.3948
pipeline@wwmach.com
www.worldwidemachinery.com

Italy office SUPERIOR Manufacturing

Via Roma, 18
San Pancrazio, Parma
Italy

Evan Greenberg

Vice-President of Intl. Operations

Worldwide offices Europe and Australia

Juergen Hafemann
Phone +49.0.231.963.3073 Germany
Phone +61.0.400.144.432 Australia
pipelinece@wwmach.com

India

Abhishek Bhotika
Phone +91.11.414.59230
pipelineind@wwmach.com

Africa

Evan Greenberg
Phone +1.281.452.5800
pipeline@wwmach.com

Russia, China and the Middle East

Sergio Braoude
Phone +39.349.198.1281 Italy
Phone +7.495.507.4827 Russia
fsupipeline@wwmach.com

Latin America

Salvador Villasana
Phone +52.81.8.394.0160
pipelinesa@wwmach.com

North America

Rick Layh
Phone +1.281.457.4400
pipelinena@wwmach.com



DISCLAIMER

The information contained in this brochure is intended to be of a general nature only. The SUPERIOR Manufacturing Company may at any time and from time to time, for technical or other necessary reasons, modify any of the details or specifications of the product described in this brochure. Illustrations do not necessarily show products in standard conditions. The dimensions, weights and capacities shown herein, as well as any conversion data used, are approximate only and are subject to variations within normal manufacturing techniques.